



OUR GLOBAL  
COMPETENCE  
CENTRES

 APOLLO DISPLAY  
TECHNOLOGIES



 DISTEC



 DISPLAY  
TECHNOLOGY




# Datasheet

## Distec

### PrismaMIPI-HDMI

HDMI to MIPI Interface for Ortustech COM48H4N22ULC

PA-39-107



Version 1.0

22.01.2020

---

The information contained in this document has been carefully researched and is, to the best of our knowledge, accurate. However, we assume no liability for any product failures or damages, immediate or consequential, resulting from the use of the information provided herein. Our products are not intended for use in systems in which failures of product could result in personal injury. All trademarks mentioned herein are property of their respective owners. All specifications are subject to change without notice.

---

## Table of Contents

1	Revision History .....	4
2	Overview .....	4
3	Input .....	4
4	Features .....	4
5	Electrical Characteristics .....	5
6	Absolute Maximum Ratings .....	5
7	Outline Dimensions .....	5

## 1 Revision History

Date	Rev.No.	Description	Page
22.01.2020	1.0	Initial version	All

## 2 Overview

PrismaMIPI-HDMI is our cost-efficient HDMI to MIPI converter board for the direct connection of Ortustech's COM48H4N22ULC TFT display with WXGA resolution (720x1280).  
The board is mechanically designed for easy assembly on the back side of the TFT Display.

## 3 Input

- HDMI 1.4 / 2.0
- Optional: HDCP 1.4

## 4 Features

- Vcc +12V
- Brightness control via button

## 5 Electrical Characteristics


All measurements done at 25°C ambient temperature

Item	Condition	MIN	TYP.	MAX.	Unit	Note
Supply Voltage (12V)		11.5	12.0	12.5	VDC	
Power Consumption	Board Only	-	0,5	-	W	

## 6 Absolute Maximum Ratings

DESCRIPTION	Signal	Min.	Max.	Unit	Note
Supply Voltage	V <sub>CC</sub>	0	12.5	VDC	
Storage Temperature	T <sub>ST</sub>	-35	+85	°C	
Operating Temperature	T <sub>OP</sub>	-20	+80	°C	

## 7 Outline Dimensions



Our company network supports you worldwide with offices in Germany, Austria, Switzerland, the UK and the USA. For more information please contact:

## Headquarters

### Germany



#### FORTEC Elektronik AG

Augsburger Str. 2b  
82110 Germering

Phone: +49 89 894363-0  
E-Mail: [sales@forteca.de](mailto:sales@forteca.de)  
Internet: [www.forteca.de](http://www.forteca.de)

## Fortec Group Members

### Austria



#### FORTEC Elektronik AG

##### Office Vienna

Nuschinggasse 12  
1230 Wien

Phone: +43 1 8673492-0  
E-Mail: [office@fortec.at](mailto:office@fortec.at)  
Internet: [www.fortec.at](http://www.fortec.at)

### Germany



#### Distec GmbH

Augsburger Str. 2b  
82110 Germering

Phone: +49 89 894363-0  
E-Mail: [info@distec.de](mailto:info@distec.de)  
Internet: [www.distec.de](http://www.distec.de)

### Switzerland



#### ALTRAC AG

Bahnhofstraße 3  
5436 Würenlos

Phone: +41 44 7446111  
E-Mail: [info@altrac.ch](mailto:info@altrac.ch)  
Internet: [www.altrac.ch](http://www.altrac.ch)

### United Kingdom



#### Display Technology Ltd.

Osprey House, 1 Osprey Court  
Hichingbrooke Business Park  
Huntingdon, Cambridgeshire, PE29 6FN

Phone: +44 1480 411600  
E-Mail: [info@displaytechnology.co.uk](mailto:info@displaytechnology.co.uk)  
Internet: [www.displaytechnology.co.uk](http://www.displaytechnology.co.uk)

### USA



#### Apollo Display Technologies, Corp.

87 Raynor Avenue,  
Unit 1 Ronkonkoma,  
NY 11779

Phone: +1 631 5804360  
E-Mail: [info@apolloDisplays.com](mailto:info@apolloDisplays.com)  
Internet: [www.apolloDisplays.com](http://www.apolloDisplays.com)